

NINTH YOUNG RESEARCHERS CONFERENCE MATERIALS SCIENCES AND ENGINEERING

**December 20-22, 2010, Belgrade, Serbia
Serbian Academy of Sciences and Arts, Knez Mihailova 35**

Program and the Book of Abstracts

**Materials Research Society of Serbia
and
Institute of Technical Sciences of the
Serbian Academy of Sciences and Arts**

December 2010, Belgrade, Serbia

Book title:

**Ninth Young Researchers Conference - Materials Sciences and Engineering:
Program and the Book of Abstracts**

Publisher:

**Institute of Technical Sciences of the Serbian Academy of Sciences and Arts
Knez Mihailova 35/IV, 11000 Belgrade, Serbia
Tel: +381-11-2636994, fax: 2185263
<http://www.itn.sanu.ac.rs>**

Editor:

Prof. Dr. Nenad Ignjatović

Technical Editor:

Aleksandra Stojičić

Printer:

**Copy Planet
Brankova 12, 11000 Belgrade, Serbia
Tel: +381-11-3036545, fax: 3036546
<http://www.copyplanet.rs>**

Edition:

130 copies

CIP – Каталогизација у публикацији
Народна библиотека Србије, Београд

66.017/.018(048)

YOUNG Researchers Conference Materials Sciences and Engineering (9 ; 2010 ; Beograd)

Program ; #and the #Book of Abstracts / Ninth Young Researchers Conference Materials Sciences and Engineering, December 20–22, 2010, Belgrade, Serbia ; [organized by] Materials Research Society of Serbia and Institute of Technical Sciences of the Serbian Academy of Sciences and Arts ; [editor Nenad Ignjatović]. – Belgrade : Institute of Technical Sciences of SASA, 2010 (Belgrade : Copy Planet). – XIV, 50 str. ; 30 cm

Tiraž 130. – Registar.

ISBN 978–86–80321–26–4 (ITNSANU)

1. Materials Research Society (Beograd) 2. Institute of Technical Sciences of SASA (Beograd)

a) Наука о материјалима - Апстракти b) Технички материјали – Апстракти
COBISS.SR-ID 180427276

III/3

Nucleation of biomimetic hydroxyapatite

Božana Čolović, Vukoman Jokanović

*Institute of Nuclear Sciences “Vinča”, Laboratory for Radiation Chemistry and Physics,
Belgrade, Serbia*

Formation of biomimetic calcium hydroxyapatite on the surface of different substrates (various polymer thin films and silica thin films) was investigated in this study. Supersaturated SBF and SBF combined with EMEM or FCS were used as bioactive liquid environment. After aging in SBF for various periods of time, samples were investigated by FTIR-ATR and XRD to analyze obtained phases, while morphology of self assembled hydroxyapatite was investigated by SEM and AFM. Investigations of mass changes of the samples showed that the rate of CHA self nucleation depends on the type of substrate and medium as well as the ageing time.

III/4

Structural characterization of synthetic and biological carbonated hydroxyapatite

Ljiljana Veselinović¹, Miodrag Lukić¹, Ljiljana Karanović²,
Nenad Ignjatović¹, Smilja Marković¹, Dragan Uskoković¹

¹*Institute of Technical Sciences of the Serbian Academy of Sciences and Arts, Belgrade, Serbia,*

²*Laboratory for Crystallography, Faculty of Mining and Geology, University of Belgrade,
Belgrade, Serbia*

It is well known that inorganic part of bones and teeth are impure form of hydroxyapatite, (HAp) $\text{Ca}_{10}(\text{PO}_4)_6(\text{OH})_2$. During the past few decades, great efforts have been invested to develop synthetic equivalent of natural apatite. The major difference of natural bioapatites from hydroxyapatites is in the presence of certain content of CO_3^{2-} ions in the structure. The presence of the CO_3^{2-} ions in the HAp structure influences the reactivity and stability. Therefore, the exact content of CO_3^{2-} ions as well as their arrangement in the structure is very important.

The aim of our work is comparative analysis of the biological carbonated hydroxyapatite extracted from human alveolar bone and synthesized carbonated hydroxyapatite (BCHAp). Structural and microstructural parameters were determined through Rietveld refinement of recorded XRPD data, and with transmission electron microscopy (TEM).

Microstructure analysis showed anisotropic X-ray line broadening due to the small crystallite size (about 10 nm) as well as anisotropic growth of crystallites. The Raman spectroscopy confirmed the apatite structure and crystallinity.